

Common User Data

Machine Name: Xerox EC8136 Color MFP (9D:A2:3C)
 IP Address: 10.61.12.190
 Machine Serial Number: MQ5010507
 Fax Line 1: 3337
 Machine URL: https://10.61.12.190
 Machine Activation Date: Jan 14, 2025 01:29:18
 Black Impressions: 313
 Color Impressions: 743
 Total Impressions: 1056

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: Not set
 Machine Location: machine location not set
Managed By
 Primary MB Server:

Machine Hardware

Fax Card: Embedded; 2 Lines
 Fax Memory Size: 966 MB
 Foreign Interface Card: not present
 Device RAM Size: 4096 MB
 Device Storage Size: used=3319MB/total=500107MB (HDD)
 EPC Memory Size: 900 MB
 Finisher Type: BR Booklet Maker Finisher
 Finisher Punch: 2/4 Hole
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 17:34
 Xerox Workplace Cloud: Enabled
 E-mail Alerts: Disabled
 Service Plan: Plan Activated
 Billing Impression Mode: A3 Impressions
 Geographic Region: Western Hemisphere
 Startup Config Report: Enabled
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 Allow Print Submission of Clone Files: Enabled
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
 Sleep Mode Timer: 30 minutes
 Auto-Off: Disabled

Smart Proximity Sensor

Wake on Arrival: Enabled
 Sleep on Departure: Disabled
 Maximize Detection Range: Disabled

Software Versions

Device Software: 122.043.005.09800
 Patch Version: None
 Network Controller: 122.043.09800
 UI Panel Firmware: 003.004.00000
 User Interface: 122.043.09800
 Marking Engine: 030.045.000
 Copy Controller: 122.043.09800
 Document Feeder: 023.026.000
 Finisher: 006.003.000
 Fax: 003.021.015
 OS: 122.005.09800
 Scanner: 016.024.013
 Software Upgrade: 122.043.09800
 Tray 2:
 Tray 3:
 Tray 4:

Machine Upgrades

Allowed
 Last Successful Upgrade: April 9, 2025 18:52:21
 Scheduled Auto Upgrades: Disabled
 Auto Upgrade Start Time: Daily
 Auto Upgrade Server: 0.0.0.21

Media Trays

Tray 1: Glossy Cardstock, White and A3 (297 x 420...
 Tray 2: Plain, White and Letter (8.5 x 11")
 Tray 3: Plain, White and A4 (210 x 297 mm)
 Tray 4: Plain, White and Letter (8.5 x 11")
 Bypass Tray: Plain, White and x=1200mm, y=310mm

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing: Enabled
 AirPrint / Mopria Scanning: Enabled
 Authentication Required: Disabled
 Universal Print: Disabled
 Universal Print Registration Status: Not Registered

Physical Connections

USB Settings
 USB Type A Ports: All Enabled
 USB Type B Port: Disabled
Wired:
 Ethernet MAC Address: Enabled
 Ethernet Speed/Duplex Setting: 9c:93:4e:9d:a2:3c
 auto
 Disabled

Wireless:
 Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:
Wi-Fi Direct: Enabled
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup™ (WPS) Name:
 Connection Method:
 Subnet Prefix Address:
 Access Point (SSID):
 Show Password on Device Touch Screen:
NFC: Enabled
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled
 iBeacon Hardware: Not Installed
 Bluetooth Device Address:
 iBeacon IP Address:

Protocols

TCP/IPv4:

Enabled
 IP Address: 10.61.12.190
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.12.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.224
 DHCP Lease Expiration: Mon Apr 21 10:18:57 2025
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPv6:

Disabled
 Link Local Address:
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: ::
 Stateless Global Address 2: ::
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway:
 OUI (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX9C934E9DA23C
 Verified Host Name:
 Requested Domain Name: xeroxqa.com.
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.16
 Alternate DNS Server 1: 10.61.10.6
 Alternate DNS Server 2: 10.61.10.7
 DNS Connection Timeout: 5
 Append Device Domain: Enabled
 Append Parent Domains: Disabled
 DNS Domain Search List: xeroxqa.com XEROXQA.COM.
 Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

Bonjour:	
Bonjour Printer Name:	Xerox EC8136 Color MFP (9D:A2:3C)
HTTP:	
Port Number:	Enabled
Force Traffic over Secure Connection (H...):	80
Secure HTTP Port Number:	Yes
Proxy Server:	443
Proxy Server Address:	Manual
IPP:	www.mc.xerox.com:8000
Secure IPP Mode:	Enabled
IPP Network Path:	IPP and Secure IPPS
	http://10.61.12.190:631
SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	
Port Number:	Enabled
PDL Switching:	515
PDL Banner Override:	Disabled
Raw IP Printing:	
Port Number 1:	Enabled
Bidirectional:	9100
End of Job Timeout:	Disabled
PDL Switching:	300
	Disabled
LDAP	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...:	Disabled
SMTP	
SMTP Server:	10.61.23.93:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E--mails:	None
Credentials for Walkup User:	None
SMTP Authentication Type:	Basic Auth with SMTP
POP3	
POP3 Server:	10.61.11.93:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	test@tls13.com
POP3 Validate Server Certificate:	
Receipt of E-mail via POP3:	Enabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	
Primary Server:	Disabled
Alternate Server:	0.0.0.0:123
	0.0.0.0:123
SLP:	
SLP:	Disabled
FTP Client:	
FTP Client Mode:	Enabled
	Passive
Web Services on Device:	
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services	
Copy Submission:	Enabled
Digital Certificate Management and Securi...:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

Printing

Banner Sheet:	Enabled	Disabled
Sys/Start Job:	Disabled	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)	
Error Sheets:	Enabled	Enabled
Paper Substitution:	Enabled	Enabled
Tray Priority:	1,2,3,4,5	
Default Copies:	1	
Default Job Type:	Normal Print	
Default Paper Size:	x=210mm, y=297mm	
Default Paper Color:	White	
Default 2 Sided Printing:	2 Sided	
Default Output Tray:	Main Tray	
Default Output Color:	Color	
Default Calated Sets:	Enabled	Enabled
Default Stapling:	No Staple	
Offsetting Between Jobs:	Offset Between Jobs	
PostScript	Installed	
Level:	3	
Version:	3021.101	
Image Quality:	Standard	

PCL

Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64

Custom Color Tables

Label:	Enabled	Not Installed
--------	---------	---------------

Fax:

Fax Line1:	Enabled/Displayed	3337
Fax Line2:	3337	

Server Fax:

Confirmation Sheet:	Enabled	Errors Only
Delay Start:	Disabled	Disabled
Repository Protocol:	SMB	
Repository Server:	0.0.0.0	
Repository Document Path:		

Workflow Scanning:

Confirmation Sheet:	Enabled	Errors Only
Default Repository Protocol:	SMB	
Default Repository Server:	0.0.0.0	
Default Repository Document Path:		Device
Default Repository Login Credentials:		SMB
Alt1 Repository Protocol:		0.0.0.0
Alt1 Repository Server:		0.0.0.0
Alt1 Repository Document Path:		Device
Alt1 Repository Login Credentials:		SMB
Workflow Pool Protocol:		0.0.0.0
Workflow Pool Server:		0.0.0.0
Workflow Pool Path:		

Email:

Default From Address:	Enabled	test@tls13.com
Confirmation Sheet:	Errors Only	Errors Only
Auto Send to Self:	Disabled	Disabled
E-mail Security:	Disabled	Disabled

Scan to Mailbox:

View Mailboxes by Default:	Enabled	Enabled
Storage Capacity (MB):	23443 MB	
Storage Used (MB):	1264 MB	
Cleanup of Public Folders:	Enabled	Enabled
Cleanup of Created Folders:	Enabled	Enabled
Cleanup Time:	Daily	Daily
	Disabled	Disabled

Scan to Home:

Friendly Name:		
Workflow Name:		
Auto Create Subdir:	Disabled	Disabled
Append User Name to Path:	Disabled	Disabled
Auto Create User Name Dir:	Disabled	Disabled

Scan To:

Cloud Services:	Enabled	Disabled
-----------------	---------	----------

Print From:

Saved Jobs for Reprint:	Enabled	Enabled
Print From USB:	Enabled	Enabled
Print From MailBox:	Disabled	Disabled
Cloud Services:	Disabled	Disabled

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos: Kerberos
 Kerberos Primary Realm:
 Kerberos Primary Address: 0.0.0.88
 Kerberos Alt 1 Realm:
 Kerberos Alt 1 Address: 0.0.0.88
 SMB NT Domain:
 SMB Alt 1 NT Domain:
 Smartcard Ctrl Server: 0.0.0.443
 Smartcard Ctrl Domain:
 SmartCard OCSP URL:
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
 Secure Access Server: 0.0.0.443
 Secure Access Path:

Audit Log:

Audit Log: Enabled

IP Sec:

IP Sec: Disabled

IP Filtering:

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 54

802.1x:

802.1x: Disabled

Image Overwrite

Image Overwrite: Installed/Enabled
 Scheduled: Disabled
 Scheduled Frequency:

FIPS 140-3:

FIPS 140-3: Disabled

TLS:

TLS: TLS 1.2 and TLS 1.3
 TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_011_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123

