

**Common User Data**

Machine Name: Xerox VersaLink B625 MFP (AC:E7:7F)  
 IPv4 Address:  
 Machine Serial Number: 5321605305  
 Fax Line 1:  
 Machine URL:  
 Machine Activation Date: Jun 17, 2025 15:31:00  
 Total Impressions: 3694

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location: Not set  
 machine location not set  
**Managed By**  
 Primary MB Server:

**Machine Hardware**

Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used=2915MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 21:28  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless  
**Energy Saver**  
 Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated  
**Smart Proximity Sensor**  
 Wake on Arrival: Not Available  
 Sleep on Departure:

**Software Versions**

Device Software: 122.025.025.19730  
 Patch Version: None  
 Network Controller: 122.025.19730  
 UI Panel Firmware: 6.1  
 Marking Engine: 230.332  
 Document Feeder: 230.332  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 Scanner: 230.332  
**Machine Upgrades:**  
 Last Successful Upgrade: July 17, 2025 06:36:53

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and x=210mm, y=210mm

**Installed Options**

PS: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning Authentication Required: Disabled

**Physical Connections**

**USB Settings**  
 USB Type A Ports: All Enabled  
 USB Type B Port: Enabled  
**Wired:**  
 Ethernet MAC Address: 78:8c:77:ac:e7:7f  
 Ethernet Speed/Duplex Setting: auto  
**Wireless:**  
 Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
**Wi-Fi Direct:**  
 Wireless Hardware: Enabled  
 Not Installed  
 Wi-Fi Protected Setup™ (WPS) Name:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:  
**NFC:**  
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Enabled  
 Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

IPv4 Address: Disabled  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Link Local Address: Enabled  
 fe80::7a8c:77ff:fe0c:e77f  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: ::  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address: 2403:0:22b:4:cc9df6af:4232:3155  
 Default Gateway: fe80::4e42:1eff:fe9e:7967  
 DUJD (DHCP Unique Identifier): 00030001788c77ace77f

**DNS Settings:**

Requested Host Name: XR788C77ACE77F  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registration: Disabled  
 Primary DNS Server: 2403:0:22b:4:7006:5a52:f43b:a95f  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: Xerox VersaLink B625 MFP (AC:E7:7F)  
**HTTP:**  
 Force Traffic over Secure Connection (HTTPS): Enabled  
 IPP: Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**

Enabled

**Raw IP Printing:**

Enabled

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDAP...): Disabled  
 LDAP Server 1 Validate Server Certificate: Disabled

**SMTP**

SMTP Server: 2403:0:22b:4:7006:5a52:f43b:a95f:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 SMTP Authentication Type: Basic Auth with SMTP

## Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

## Apps

## Printing

Banner Sheet:	Disabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,5
Archival Marking Mode	Off
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Fax:	Not Present

## Fax:

Fax Line1:  
Fax Line2:

## Server Fax:

Repository Protocol:	FTP
Repository Server:	10.61.10.116:21
Repository Document Path:	/FSCSR/

## Workflow Scanning:

Enabled

## Email:

Enabled

## Scan to Mailbox:

Enabled

Storage Capacity (MB): 672 MB

Storage Used (MB): 50 MB

Cleanup of Public Folders: Enabled

Cleanup of Created Folders: Enabled

Cleanup Time: Daily

## Scan to Home:

Disabled

## Scan To:

Enabled

## Cloud Services:

Disabled

## Print From:

Enabled

Saved Jobs for Reprint: Enabled

Print From USB: Enabled

Print From MailBox: Disabled

Cloud Services: Disabled

## Accounting

Accounting Mode:	None
Network Accounting:	Disabled

## Security

## Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

## Authentication Server:

Kerberos

## Xerox Secure Access:

Disabled

## Audit Log:

Enabled

## IP Sec:

Enabled

## IP Filtering:

Disabled

## Security Certificates

Machine Certificate: Signed

Root Certificates Installed: 53

## 802.1x:

Disabled

## Job Data Removal:

Scheduled: Disabled

## FIPS 140-3:

Disabled

## TLS:

TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

## Trellix Embedded Control:

Enhanced Security

**Common User Data**

Machine Name: Xerox VersaLink B625 MFP (AC:E7:7F)  
 IPv4 Address:  
 Machine Serial Number: 5321605305  
 Fax Line 1:  
 Machine URL:  
 Machine Activation Date: Jun 17, 2025 15:31:00  
 Total Impressions: 3689

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: Not set  
 Machine Location: machine location not set  
**Managed By**  
 Primary M.B. Server:

**Machine Hardware**

Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used=2913MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 21.28  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated  
**Smart Proximity Sensor**  
 Wake on Arrival:  
 Sleep on Departure: Not Available

**Software Versions**

Device Software: 122.025.025.19730  
 Patch Version: None  
 Network Controller: 122.025.19730  
 UI Panel Firmware: 6.1  
 Marking Engine: 230.332  
 Document Feeder: 230.332  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 Scanner: 230.332  
**Machine Upgrades:**  
 Last Successful Upgrade: Allowed  
 July 17, 2025 06:36:53

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and x=210mm, y=210mm

**Installed Options**

PS: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning Authentication Required: Enabled  
 Physical Connections: Disabled

**USB Settings**

USB Type A Ports: All Enabled  
 USB Type B Port: Disabled

**Wired:**

Ethernet MAC Address: 78:8c:77:ace7:7f  
 Ethernet Speed/Duplex Setting: auto  
 Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

**Wi-Fi Direct:**

Wireless Hardware: Enabled  
 Not Installed

Wi-Fi Protected Setup™ (WPS) Name:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:**

iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Enabled  
 Bluetooth Device Address: Not Installed  
 iBeacon IP Address:

**Protocols**

**TCP/IPv4:**

IPv4 Address: Disabled  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPv6:**

Link Local Address: Enabled  
 fe80::7a8c:77ff:feac:e77f  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: ::  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address: 2403:0:22b:4:7006:5a52:f43b:a95f  
 Default Gateway: fe80::4e42:1eff:fe9e:7967  
 DUID (DHCP Unique Identifier): 00030001788c77ace77f

**DNS Settings:**

Requested Host Name: XRX788C77ACE77F  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 2403:0:22b:4:7006:5a52:f43b:a95f  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: Xerox VersaLink B625 MFP (AC:E7:7F)  
**HTTP:**  
 Force Traffic over Secure Connection (H...): Enabled  
 JPP: Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**

Enabled

**Raw IP Printing:**

Enabled

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**

SMTP Server: 2403:0:22b:4:7006:5a52:f43b:a95f:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 SMTP Authentication Type: Basic Auth with SMTP

**Protocols (cont.)**

<b>POP3</b>	
POP3 Server:	0.0.0.110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
<b>NTP:</b>	Disabled
<b>FTP Client:</b>	Enabled
FTP Client Mode:	Passive
<b>Web Services on Device:</b>	Enabled

**Apps****Printing**

<b>Banner Sheet:</b>	Disabled
<b>Error Sheets:</b>	Enabled
<b>Paper Substitution:</b>	Enabled
<b>Tray Priority:</b>	1,2,3,5
<b>Archival Marking Mode</b>	Off
<b>PostScript</b>	Installed
Level:	3
Version:	3021.101
<b>PCL</b>	
Version:	6
Font Name:	Courier
<b>Custom Color Tables</b>	Enabled
Label:	Not Installed
<b>Fax:</b>	Not Present
Fax Line1:	
Fax Line2:	

**Server Fax:**

<b>Repository Protocol:</b>	Enabled
Repository Server:	FTP
Repository Server:	10.61.10.116:21
Repository Document Path:	/FSCSR/

**Workflow Scanning:**

	Enabled
--	---------

**Email:**

	Enabled
--	---------

**Scan to Mailbox:**

	Enabled
Storage Capacity (MB):	672 MB
Storage Used (MB):	50 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

**Scan to Home:**

	Disabled
--	----------

**Scan To:**

	Enabled
--	---------

**Cloud Services:**

	Disabled
--	----------

**Print From:**

	Enabled
--	---------

**Saved Jobs for Reprint:**

	Enabled
--	---------

**Print From USB:**

	Enabled
--	---------

**Print From MailBox:**

	Disabled
--	----------

**Cloud Services:**

	Disabled
--	----------

**Accounting**

Accounting Mode:	None
Network Accounting:	Disabled

**Security****Authentication Configuration**

<b>Machine UI Authentication:</b>	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
<b>Device Website Authentication:</b>	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

**Authentication Server:**

	Kerberos
--	----------

**Xerox Secure Access:**

	Disabled
--	----------

**Audit Log:**

	Enabled
--	---------

**IP Sec:**

	Enabled
--	---------

**IP Filtering:**

	Disabled
--	----------

**Security Certificates**

Machine Certificate:	Signed
Root Certificates Installed:	53

**802.1x:**

	Disabled
--	----------

**Job Data Removal:**

Scheduled:	Disabled
------------	----------

**FIPS 140-3:**

	Disabled
--	----------

**TLS:**

	TLS 1.2 and TLS 1.3
--	---------------------

**TLS Hash:**

	SHA-1, SHA-256 and above
--	--------------------------

**Trellix Embedded Control:**

	Enhanced Security
--	-------------------

**Common User Data**

Machine Name: Xerox VersaLink B625 MFP (AC:E7:7F)  
 IPv4 Address:  
 Machine Serial Number: 5321605305  
 Fax Line1:  
 Machine URL:  
 Machine Activation Date: Jun 17, 2025 15:31:00  
 Total Impressions: 3691

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: Not set  
 Machine Location: machine location not set  
**Managed By**  
 Primary MB Server:

**Machine Hardware**

Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used=2914MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 21:28  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 Startup Config Report: Disabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Enabled  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 120 minutes  
 Auto-Off: Disabled

**Software Versions**

Device Software: 122.025.025.19730  
 Patch Version: None  
 Network Controller: 122.025.19730  
 UI Panel Firmware: 6.1  
 User Interface: 122.025.19730  
 Marking Engine: 230.332  
 Copy Controller: 122.025.19730  
 Document Feeder: 230.332  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 OS: 230.332  
 Scanner: 230.332  
 Software Upgrade: 005.016  
 ALTB00T Software Upgrade: 005.016  
 Tray 2: A16.47\_B2.3  
 Tray 3: A16.47\_B2.3

**Machine Upgrades:**

Last Successful Upgrade: July 17, 2025 06:36:53  
 Scheduled Auto Upgrades: Disabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 0.0.0:21

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and x=210mm, y=210mm

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**

USB Type A Ports: All Enabled  
 USB Type B Port: Disabled  
 Wired: Enabled  
 Ethernet MAC Address: 78:8c:77:ac:e7:7f  
 Ethernet Speed/Duplex Setting: auto  
 Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
 Wi-Fi Direct: Enabled  
 Wireless Hardware: Not Installed  
 Wi-Fi Protected Setup™ (WPS) Name:  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:  
 NFC: Enabled  
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

IPv4 Address: Disabled  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP

DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Link Local Address: Enabled  
 fe80::7a8c:77ff:feac:e77f  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: ::  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address: 2403:0:22b:4:cc9dff6af:4232:3155  
 Default Gateway: fe80::4e42:1eff:fe9e:7967  
 DUID (DHCP Unique Identifier): 00030001788c77ace77f

**DNS Settings:**

Requested Host Name: XRX788C77ACE77F  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 2403:0:22b:4:7006:5a52:f43b:a95f  
 Alternate DNS Server 1: ::  
 Alternate DNS Server 2: ::  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List:  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed

**Protocols (cont.)**

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink B625 MFP (AC:E7:7F)  
**HTTP:**  
 Port Number: 80  
 Force Traffic over Secure Connection (H...): Yes  
 Secure HTTP Port Number: 443  
 Proxy Server: Manual  
 Proxy Server Address: 10.177.8.91:8080  
**IPP:**  
 Secure IPP Mode: Enabled  
 IPP Network Path: IPP and Secure IPPS  
 http://:631  
**SNMP:**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled  
**LPR/LPD:**  
 Port Number: 515  
 PDL Switching: Disabled  
 #DL Banner Override: Disabled  
**Raw IP Printing:**  
 Port Number 1: Enabled  
 Bidirectional: 9100  
 End of Job Timeout: Disabled  
 PDL Switching: 300  
 Disabled  
**LDAP:**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled  
**SMTP:**  
 SMTP Server: 2403:0:22b:4:7006:5a52:f43b:a95f:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None  
 SMTP Authentication Type: Basic Auth with SMTP  
**POP3:**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 POP3 Validate Server Certificate:  
 Receipt of E-mail via POP3: Disabled  
 Send Confirm on Request: Enabled  
 Incoming E-mail cover sheet: Enabled  
**NTP:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123  
**SLP:**  
 Disabled  
**FTP Client:**  
 FTP Client Mode: Enabled  
 Passive  
**Web Services on Device:**  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled  
**Web Services:**  
 Copy Submission: Enabled  
 Digital Certificate Management and Securi...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur...: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

**Apps**

**Printing**

Banner Sheet: Disabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,5  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=210mm, y=297mm  
 Default Paper Color: White  
 Default 2 Sided Printing: 2 Sided  
 Default Output Tray: Center Tray  
 Default Output Color: Black & White  
 Default Collated Sets: Enabled  
 Default Stapling: Not Available  
 Offsetting Between Jobs: No Offset Between Jobs  
 Archival Marking Mode: Off  
**PostScript:**  
 Installed  
 Level: 3  
 Version: 3021.101  
 Image Quality: Enhanced

**PCL**

Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 64  
 Custom Color Tables: Enabled  
 Label: Not Installed

**Fax:**

Fax Line1: Not Present  
 Fax Line2: Not Present

**Server Fax:**

Confirmation Sheet: Enabled  
 Errors Only: Errors Only  
 Delay Start: Disabled  
 Repository Protocol: FTP  
 Repository Server: 10.61.10.116:21  
 Repository Document Path: /FSCSR/

**Workflow Scanning:**

Confirmation Sheet: Enabled  
 Default Repository Protocol: On  
 Default Repository Server: SMB  
 Default Repository Document Path: 0.0.0.0:  
 Default Repository Login Credentials: Device  
 Alt1 Repository Protocol: SMB  
 Alt1 Repository Server: 0.0.0.0:  
 Alt1 Repository Document Path:  
 Alt1 Repository Login Credentials: Device  
 Workflow Pool Protocol: SMB  
 Workflow Pool Server: 0.0.0.0:  
 Workflow Pool Path:

**Email:**

Default From Address: Enabled  
 Confirmation Sheet: syed.habibunnisa@xeroxqa.com  
 Errors Only  
 Auto Send to Self: Disabled  
 E-mail Security: Disabled

**Scan to Mailbox:**

View Mailboxes by Default: Enabled  
 Storage Capacity (MB): Enabled  
 Storage Used (MB): 672 MB  
 Cleanup of Public Folders: 50 MB  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Enabled  
 Daily  
 Disabled

**Scan to Home:**

Friendly Name:  
 Workflow Name:  
 Auto Create Subdir: Disabled  
 Append User Name to Path: Disabled  
 Auto Create User Name Dir: Disabled

**Scan To:**

Cloud Services: Enabled  
 Disabled  
 Enabled  
**Print From:**  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From MailBox: Disabled  
 Cloud Services: Disabled

**Accounting**

Accounting Made: None  
 Network Accounting: Disabled

**Security**

**Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled  
**Authentication Server:**  
 Kerberos Primary Realm:  
 Kerberos Primary Address: 0.0.0.0:88  
 Kerberos Alt 1 Realm:  
 Kerberos Alt 1 Address: 0.0.0.0:88  
 SMB NT Domain:  
 SMB Alt 1 NT Domain:  
 Smartcard Ctrl Server: 0.0.0.0:443  
 Smartcard Ctrl Domain:  
 SmartCard OCSP URL:  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version:

**Xerox Secure Access:** Disabled  
 Secure Access Server: 0.0.0.0:443  
 Secure Access Path:

**Audit Log:** Enabled

**IP Sec:** Enabled

**IP Filtering:** Disabled

**Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: 53

**802.1x:** Disabled

**Job Data Removal:**  
 Scheduled: Disabled

Scheduled Frequency:

**FIPS 140-3:** Disabled

**TLS:** TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

**Trellix Embedded Control:** Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00  
 Widget Version: v1.3.17 c8 20140613  
 Widget Version: v2.5.04 g9 20240123





**Common User Data**

Machine Name: carroll ASR  
 IPv4 Address:  
 Machine Serial Number: 5322980355  
 Machine URL:  
 Machine Activation Date: Jul 17, 2025 20:31:11  
 Black Impressions: 7461  
 Color Impressions: 7588  
 Total Impressions: 15049

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location: Not set  
 machine location not set

**Managed By**

Primary MB Server:

**Machine Hardware**

Foreign Interface Card: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used=2925MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 16:50  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated  
**Smart Proximity Sensor**  
 Wake on Arrival: Not Available  
 Sleep on Departure:

**Software Versions**

Device Software: 122.026.025.19730  
 Patch Version: None  
 Network Controller: 122.026.19730  
 UI Panel Firmware: 6.2  
 Marking Engine: 230.332  
 Finisher: 000.000.000  
**Machine Upgrades:**  
 Last Successful Upgrade: July 21, 2025 17:29:20

**Media Trays**

Tray 1: Plain, White and 8.5 x 13"  
 Tray 2: Plain, White and A5 (148 x 210 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and A4 (210 x 297 mm)  
 Tray 5: Plain, Ivory and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and A6 (105 x 148 mm)

**Installed Options**

PS: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled

**Physical Connections**

**USB Settings**

USB Type A Ports: All Enabled  
 USB Type B Port: Enabled

**Wired:**

Ethernet MAC Address: 9c:93:4e:fc:36:4b  
 Ethernet Speed/Duplex Setting: auto  
**Wireless:**  
 Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

**Wi-Fi Direct:**

Wireless Hardware: Enabled  
 Wi-Fi Protected Setup™ (WPS) Name: Not Installed  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:**

iBeacon (Bluetooth®) for AirPrint Di... Enabled  
 iBeacon Hardware: Enabled  
 Bluetooth Device Address: Not Installed  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

IPv4 Address: Disabled  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.12.1  
 Automatic Addressing: DHCP

**DHCP Server:**

DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Link Local Address: fe80::9e93:4eff:fec:364b  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1:  
 Stateless Global Address 2:  
 Manual Address:  
 DHCP Addressing:

Use DHCP as directed by a router  
 DHCP Address: 2403:0:22b:4:8520:dc45:cef3:8f24  
 Default Gateway: fe80::4e42:1eff:fe9e:7967  
 DUID (DHCP Unique Identifier): 000300019c934efc364b

**DNS Settings:**

Requested Host Name: XRX9C934EFC364B  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrat... Disabled  
 Primary DNS Server: 2403:0:22b:4:7006:5a52:f43b:a95f  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: carroll ASR

**HTTP:**

Force Traffic over Secure Connection (H...: Enabled  
 IPP: Yes  
 Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**

Enabled

**Raw IP Printing:**

Enabled

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...: Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**

SMTP Server: 0.0.0.25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):

## Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

## Apps

## Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5,6
Archival Marking Mode	Off
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Cloud Services:	Disabled

## Accounting

Accounting Mode:	None
Network Accounting:	Disabled

## Security

## Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs Pathway:	Unlocked
Printer Pathway:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Authentication Server:	Kerberos
Xerox Secure Access:	Disabled
Audit Log:	Enabled
IP Sec:	Disabled
IP Filtering:	Disabled
Security Certificates	
Machine Certificate:	Signed
Root Certificates Installed:	54
802.1x:	Disabled

## Job Data Removal:

Scheduled:	Disabled
------------	----------

## FIPS 140-3:

	Disabled
--	----------

## TLS:

TLS Hash:	TLS 1.2 and TLS 1.3
-----------	---------------------

Trellix Embedded Control:	SHA-1, SHA-256 and above
---------------------------	--------------------------

	Enhanced Security
--	-------------------

**Common User Data**

Machine Name: carroll ASR  
 IPv4 Address:  
 Machine Serial Number: 5322980355  
 Machine URL:  
 Machine Activation Date: Jul 17, 2025 20:31:11  
 Black Impressions: 7459  
 Color Impressions: 7587  
 Total Impressions: 15046

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location: Not set  
 machine location not set

**Managed By**

Primary MB Server:

**Machine Hardware**

Foreign Interface Card: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used=2923MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 16:50  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 Startup Config Report: Enabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Enabled  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 100 minutes  
 Auto-Off: Disabled

**Software Versions**

Device Software: 122.026.025.19730  
 Patch Version: None  
 Network Controller: 122.026.19730  
 UI Panel Firmware: 6.2  
 User Interface: 122.026.19730  
 Marking Engine: 230.332  
 Finisher: 000.000.000  
 OS: 230.332  
 Software Upgrade: 005.016  
 ALTB00T Software Upgrade: 005.016  
 Tray 2: A15.51\_B2.3  
 Tray 3: A15.51\_B2.3  
 Tray 4: A15.51\_B2.3  
 Tray 5: A15.51\_B2.3

**Machine Upgrades:**

Last Successful Upgrade: July 21, 2025 17:29:20  
 Scheduled Auto Upgrades: Disabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 0.0.0.0:21

**Media Trays**

Tray 1: Plain, White and 8.5 x 13"  
 Tray 2: Plain, White and A5 (148 x 210 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and A4 (210 x 297 mm)  
 Tray 5: Plain, Ivory and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and A6 (105 x 148 mm)

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**

USB Type A Ports: All Enabled  
 USB Type B Port: Disabled

**Wired:**

Ethernet MAC Address: 9c:93:4e:fc:36:4b  
 Ethernet Speed/Duplex Setting: auto  
 Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

**Wi-Fi Direct:**

Wireless Hardware: Enabled  
 Not Installed

Wi-Fi Protected Setup™ (WPS) Name:  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:**

iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Enabled  
 Bluetooth Device Address: Not Installed  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

IPv4 Address: Disabled  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.12.1  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Link Local Address: Enabled  
 fe80::9e93:4eff:fc:364b  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: ::  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address: 2403:0:22b:4:8520:dc45:cef3:8f24  
 Default Gateway: fe80::4e42:1eff:fe9e:7967  
 DUID (DHCP Unique Identifier): 000300019c934efc364b

**DNS Settings:**

Requested Host Name: XRX9C934EFC364B  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 2403:0:22b:4:7006:5a52:f43b:a95f  
 Alternate DNS Server 1: ::  
 Alternate DNS Server 2: ::  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List:  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed

Protocols (cont.)

Apps

Printing

<b>Bonjour:</b>		<b>carroll ASR</b>	
Bonjour Printer Name:		carroll ASR	
<b>HTTP:</b>		<b>Enabled</b>	
Port Number:	80	Banner Sheet:	Enabled
Force Traffic over Secure Connection (H...):	Yes	Sys/Start Job:	Disabled
Secure HTTP Port Number:	443	Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Proxy Server:	Manual	Error Sheets:	Enabled
Proxy Server Address:	10.177.8.91:8080	Paper Substitution:	Enabled
IPP:	Enabled	Tray Priority:	1,2,3,4,5,6
Secure IPP Mode:	IPP and Secure IPPS	Default Copies:	1
IPP Network Path:	http://:631	Default Job Type:	Normal Print
<b>SNMP</b>		Default Paper Size:	x=8.50 inches, y=11.00 inches
SNMP v1/v2:	Enabled	Default Paper Color:	White
SNMP v3:	Disabled	Default 2 Sided Printing:	1 Sided
<b>LPR/LPD:</b>		Default Output Tray:	Center Tray
Port Number:	515	Default Output Color:	Color
PDL Switching:	Disabled	Default Collated Sets:	Enabled
PDL Banner Override:	Disabled	Default Stapling:	Not Available
Raw IP Printing:	Enabled	Offsetting Between Jobs:	No Offset Between Jobs
Port Number 1:	9100	Archival Marking Mode:	Off
Bidirectional:	Disabled	PostScript:	Installed
End of Job Timeout:	300	Level:	3
PDL Switching:	Disabled	Version:	3021.101
<b>LDAP</b>		Image Quality:	Enhanced
LDAP Server 1 Friendly Name:		<b>PCL</b>	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389	Version:	6
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389	Pitch Size:	10.00
LDAP Server 1 Search Directory Root:		Point Size:	12.00
LDAP Server 1 Secure Connection (LDA...):	Disabled	Font Name:	Courier
LDAP Server 1 Validate Server Certificate...:	Disabled	Lines Per Page:	60
<b>SMTP</b>		Custom Color Tables:	Enabled
SMTP Server:	0.0.0.0:25	Label:	Not Installed
Connect Encryption (TLS):	No Encryption	<b>Print From:</b>	Enabled
Validate Server Certificate (TLS):		Saved Jobs for Reprint:	Enabled
Max Message Size (KB):	10240	Print From USB:	Enabled
Number of Fragments:	1	Cloud Services:	Disabled
Total Job Size (KB):	300000		
Job Splitting Boundary:	Page Boundary		
Credentials for Auto E-mails:	None		
Credentials for Walkup User:	None		
SMTP Authentication Type:	Basic Auth with SMTP		
<b>POP3</b>			
POP3 Server:	0.0.0.0:110		
POP3 Secure Connection (TLS):	Disabled		
E-mail Address:			
POP3 Validate Server Certificate:			
Receipt of E-mail via POP3:	Disabled		
Send Confirm on Request:	Enabled		
Incoming E-mail cover sheet:	Enabled		
<b>NTP:</b>			
Primary Server:	0.0.0.0:123		
Alternate Server:	0.0.0.0:123		
<b>SIP:</b>			
FTP Client:	Enabled		
FTP Client Mode:	Passive		
<b>Web Services on Device:</b>			
WS-Discovery:	Enabled		
WS-Discovery Multicast:	Enabled		
WS-Print:	Enabled		
<b>Web Services</b>			
Digital Certificate Management and Securi...:	Enabled		
Extensible Service Registration:	Enabled		
Job Limits:	Enabled		
Job Management Extension:	Enabled		
Device Configuration:	Enabled		
Session Data:	Enabled		
User Interface Configuration:	Enabled		
EIP Proxy Configuration:	Enabled		
Xerox Secure Access:	Disabled		
EIP SNMP Configuration:	Enabled		
Print Submission:	Enabled		
Mass Storage Access:	Enabled		
Card Reader Access:	Enabled		
Authentication & Accounting Configur...:	Enabled		
Export Audit Log:	Enabled		
Trellix Embedded Control:	Enabled		

**Accounting**

Accounting Mode: None  
Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs Pathway: Unlocked  
Printer Pathway: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
Kerberos Primary Address: 0.0.0.88  
Kerberos Alt 1 Realm: Kerberos  
Kerberos Alt 1 Address: 0.0.0.88  
SMB NT Domain: SMB NT Domain  
SMB Alt 1 NT Domain: SMB NT Domain  
Smartcard Ctrl Server: 0.0.0.443  
Smartcard Ctrl Domain: SMB NT Domain  
SmartCard OCSP URL: SMB NT Domain  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version: SMB NT Domain

**Xerox Secure Access:**

Secure Access Server: Disabled  
Secure Access Path: 0.0.0.443

**Audit Log:**

IP Sec: Enabled  
IP Filtering: Disabled

**Security Certificates**

Machine Certificate: Signed  
Root Certificates Installed: 54  
802.1x: Disabled

**Job Data Removal:**


Scheduled: Disabled  
Scheduled Frequency: Disabled

**FIPS 140-3:**

TLS: TLS 1.2 and TLS 1.3  
TLS Hash: SHA-1, SHA-256 and above  
Trellix Embedded Control: Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_240.5\_012\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123



**Common User Data**

Machine Name: carroll ASR  
 IPv4 Address:  
 Machine Serial Number: 5322980355  
 Machine URL:  
 Machine Activation Date: Jul 17, 2025 20:31:11  
 Black Impressions: 7462  
 Color Impressions: 7589  
 Total Impressions: 15051

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location: Not set  
 machine location not set  
**Managed By**  
 Primary MB Server:

**Machine Hardware**

Foreign Interface Card: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used=2926MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 16:50  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 Startup Config Report: Enabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Enabled  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 100 minutes  
 Auto-Off: Disabled

**Software Versions**

Device Software: 122.026.025.19730  
 Patch Version: None  
 Network Controller: 122.026.19730  
 UI Panel Firmware: 6.2  
 User Interface: 122.026.19730  
 Marking Engine: 230.332  
 Finisher: 000.000.000  
 OS: 230.332  
 Software Upgrade: 005.016  
 ALTBDDOT Software Upgrade: 005.016  
 Tray 2: A15.51\_B2.3  
 Tray 3: A15.51\_B2.3  
 Tray 4: A15.51\_B2.3  
 Tray 5: A15.51\_B2.3

**Machine Upgrades:**

Last Successful Upgrade: July 21, 2025 17:29:20  
 Scheduled Auto Upgrades: Disabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 0.0.0.21

**Media Trays**

Tray 1: Plain, White and 8.5 x 13"  
 Tray 2: Plain, White and A5 (148 x 210 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and A4 (210 x 297 mm)  
 Tray 5: Plain, Ivory and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and A6 (105 x 148 mm)

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**  
 USB Type A Ports: All Enabled  
 USB Type B Port: Disabled  
**Wired:**  
 Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 9c:93:4e:fc:36:4b  
 auto  
**Wireless:**  
 Wireless MAC Address: Disabled  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

**Wi-Fi Direct:** Enabled  
 Not Installed  
 Wireless Hardware:  
 Wi-Fi Protected Setup™ (WPS) Name:  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:** Enabled  
 iBeacon (Bluetooth®) for AirPrint Di... Enabled  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

IPv4 Address: Disabled  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.12.1  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Link Local Address: Enabled  
 fe80::9e93:4eff:fc:364b  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: ::  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address: 2403:0:22b:4:8520:dc45:cef3:8f24  
 Default Gateway: fe80::4e42:1eff:3e9e:7967  
 DUID (DHCP Unique Identifier): 000300019c934efc364b

**DNS Settings:**

Requested Host Name: XRXC934EFC364B  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrat... Disabled  
 Primary DNS Server: 2403:0:22b:4:7006:5a52:f43b:a95f  
 Alternate DNS Server 1: ::  
 Alternate DNS Server 2: ::  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List:  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed

Protocols (cont.)

Apps

Printing

<b>Bonjour:</b>		<b>Bonjour Printer Name:</b> carroll ASR	
<b>HTTP:</b>		Enabled	Banner Sheet: Enabled
Port Number:	80	Sys/Start Job:	Disabled
Force Traffic over Secure Connection (H...):	Yes	Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Secure HTTP Port Number:	443	Error Sheets:	Enabled
Proxy Server:	Manual	Paper Substitution:	Enabled
Proxy Server Address:	10.177.8.91:8080	Tray Priority:	1,2,3,4,5,6
IPP:	Enabled	Default Copies:	1
Secure IPP Mode:	IPP and Secure IPPS	Default Job Type:	Normal Print
IPP Network Path:	http://:631	Default Paper Size:	x=8.50 inches, y=11.00 inches
<b>SNMP:</b>		Default Paper Color:	White
SNMP v1/v2:	Enabled	Default 2 Sided Printing:	1 Sided
SNMP v3:	Disabled	Default Output Tray:	Center Tray
<b>LPR/LPD:</b>		Default Output Color:	Color
Port Number:	515	Default Collated Sets:	Enabled
PDL Switching:	Disabled	Default Stapling:	Not Available
PDL Banner Override:	Disabled	Offsetting Between Jobs:	No Offset Between Jobs
<b>Raw IP Printing:</b>		Archival Marking Mode:	Off
Port Number 1:	9100	PostScript:	Installed
Bidirectional:	Disabled	Level:	3
End of Job Timeout:	300	Version:	3021.101
PDL Switching:	Disabled	Image Quality:	Enhanced
<b>LDAP:</b>		<b>PCL:</b>	
LDAP Server 1 Friendly Name:		Version:	6
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389	Pitch Size:	10.00
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389	Point Size:	12.00
LDAP Server 1 Search Directory Root:		Font Name:	Courier
LDAP Server 1 Secure Connection (LDA...):	Disabled	Lines Per Page:	60
LDAP Server 1 Validate Server Certificate...:	Disabled	Custom Color Tables:	Enabled
<b>SMTP:</b>		Label:	Not Installed
SMTP Server:	0.0.0.0:25	<b>Print From:</b>	
Connect Encryption (TLS):	No Encryption	Saved Jobs for Reprint:	Enabled
Validate Server Certificate (TLS):		Print From USB:	Enabled
Max Message Size (KB):	10240	Cloud Services:	Disabled
Number of Fragments:	1		
Total Job Size (KB):	300000		
Job Splitting Boundary:	Page Boundary		
Credentials for Auto E-mails:	None		
Credentials for Walkup User:	None		
SMTP Authentication Type:	Basic Auth with SMTP		
<b>POP3:</b>			
POP3 Server:	0.0.0.0:110		
POP3 Secure Connection (TLS):	Disabled		
E-mail Address:			
POP3 Validate Server Certificate:			
Receipt of E-mail via POP3:	Disabled		
Send Confirm on Request:	Enabled		
Incoming E-mail cover sheet:	Enabled		
<b>NTTP:</b>			
Primary Server:	0.0.0.0:123		
Alternate Server:	0.0.0.0:123		
<b>SLP:</b>			
SLP:	Disabled		
<b>FTP Client:</b>			
FTP Client Mode:	Enabled		
FTP Client Mode:	Passive		
<b>Web Services on Device:</b>			
WS-Discovery:	Enabled		
WS-Discovery Multicast:	Enabled		
WS-Print:	Enabled		
<b>Web Services:</b>			
Digital Certificate Management and Secur...:	Enabled		
Extensible Service Registration:	Enabled		
Job Limits:	Enabled		
Job Management Extension:	Enabled		
Device Configuration:	Enabled		
Session Data:	Enabled		
User Interface Configuration:	Enabled		
EIP Proxy Configuration:	Enabled		
Xerox Secure Access:	Disabled		
EIP SNMP Configuration:	Enabled		
Print Submission:	Enabled		
Mass Storage Access:	Enabled		
Card Reader Access:	Enabled		
Authentication & Accounting Configur...:	Enabled		
Export Audit Log:	Enabled		
Trellix Embedded Control:	Enabled		



**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs Pathway: Unlocked  
 Printer Pathway: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
 Kerberos Primary Address: 0.0.0:88  
 Kerberos Alt 1 Realm: Kerberos  
 Kerberos Alt 1 Address: 0.0.0:88  
 SMB NT Domain: SMB NT Domain  
 SMB Alt 1 NT Domain: SMB Alt 1 NT Domain  
 Smartcard Ctrl Server: 0.0.0:443  
 Smartcard Ctrl Domain: Smartcard Ctrl Domain  
 SmartCard OCSP URL: SmartCard OCSP URL  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version: Card Reader Firmware Version

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Server: 0.0.0:443  
 Secure Access Path: Secure Access Path

**Audit Log:**

Audit Log: Enabled

IP Sec: Disabled

IP Filtering: Disabled

**Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: 54

802.1x: Disabled

**Job Data Removal:**

Scheduled: Disabled

Scheduled Frequency: Scheduled Frequency

FIPS 140-3: Disabled

TLS: TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above


Trellix Embedded Control: Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00

Widget Version: v1.3.17 c8 20140613

Widget Version: v2.5.04 g9 20240123



**Common User Data**

Machine Name: carroll ASR  
 IPv4 Address:  
 Machine Serial Number: 5322980355  
 Machine URL:  
 Machine Activation Date: Jul 17, 2025 20:31:11  
 Black Impressions: 7458  
 Color Impressions: 7586  
 Total Impressions: 15044

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location: Not set  
 machine location not set

**Managed By**

Primary MB Server:

**Machine Hardware**

Foreign Interface Card: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used=2906MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 16:50  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated

**Smart Proximity Sensor**

Wake on Arrival: Not Available  
 Sleep on Departure:

**Software Versions**

Device Software: 122.026.025.19730  
 Patch Version: None  
 Network Controller: 122.026.19730  
 UI Panel Firmware: 6.2  
 Marking Engine: 230.332  
 Finisher: 000.000.000  
**Machine Upgrades:**  
 Last Successful Upgrade: July 21, 2025 17:29:20

**Media Trays**

Tray 1: Plain, White and 8.5 x 13"  
 Tray 2: Plain, White and A5 (148 x 210 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and A4 (210 x 297 mm)  
 Tray 5: Plain, Ivory and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and A6 (105 x 148 mm)

**Installed Options**

PS: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled

**Physical Connections**

**USB Settings**

USB Type A Ports: All Enabled  
 USB Type B Port: Disabled

**Wired:**

Ethernet MAC Address: 9c:93:4e:fc:36:4b  
 Ethernet Speed/Duplex Setting: auto  
 Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

**Wi-Fi Direct:**

Wireless Hardware: Enabled  
 Not Installed  
 Wi-Fi Protected Setup™ (WPS) Name:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:**

iBeacon (Bluetooth®) for AirPrint Di... Enabled  
 iBeacon Hardware: Enabled  
 Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPv4:**

IPv4 Address: Disabled  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.12.1  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPv6:**

Link Local Address: Enabled  
 fe80::9e93:4eff:fc36:4b  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1:  
 Stateless Global Address 2:  
 Manual Addressing:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address: 2403:0:22b:4:8520:dc45:cef3:8f24  
 Default Gateway: fe80::4e42:1eff:fe9e:7967  
 DUID (DHCP Unique Identifier): 000300019c934efc364b

**DNS Settings:**

Requested Host Name: XR9C934EFC364B  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati... Disabled  
 Primary DNS Server: 2403:0:22b:4:7006:5a52:f43b:a95f  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: carroll ASR

**HTTP:**

Force Traffic over Secure Connection (H... Yes  
 IPP: Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**

Enabled

**Raw IP Printing:**

Enabled

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA... Disabled  
 LDAP Server 1 Validate Server Certificate... Disabled

**SMTP**

SMTP Server: 0.0.0.0:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):

**Protocols (cont.)**

POP3  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 POP3 Validate Server Certificate:  
 E-mail Address:  
 NTP: Disabled  
 FTP Client: Enabled  
 FTP Client Mode: Passive  
 Web Services on Device: Enabled

**Apps**

**Printing**

Banner Sheet: Enabled  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,4,5,6  
 Archival Marking Mode: Off  
 PostScript: Installed  
 Level: 3  
 Version: 3021.101  
 PCL  
 Version: 6  
 Font Name: Courier  
 Custom Color Tables  
 Label: Not Installed  
 Print From: Enabled  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Cloud Services: Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

**Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs Pathway: Unlocked  
 Printer Pathway: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Authentication Server: Kerberos  
 Xerox Secure Access: Disabled  
 Audit Log: Enabled  
 IP Sec: Disabled  
 IP Filtering: Disabled  
 Security Certificates  
 Machine Certificate: Signed  
 Root Certificates Installed: 54  
 802.1x: Disabled  
 Job Data Removal:  
 Scheduled: Disabled  
 FIPS 140-3: Disabled  
 TLS:  
 TLS Hash: SHA-1, SHA-256 and above  
 Trellix Embedded Control: Enhanced Security